

## MEMORANDUM

**TO:** David Maxwell, CFO  
**FROM:** Tiras Winn Petrea, Principal Zoning Inspector  
**Cc:** Judee Jones, Revenue Administrator; Sergeant Shinita Young, SCMPD's Alcohol Beverage Compliance Unit  
**DATE:** December 1, 2017  
**SUBJECT:** Zoning Review of Alcoholic Beverage License Request

---

In reference to the application of **Tyrone Morgan, T/A Carrabba's Italian Grill #6110**, requesting an alcoholic beverage license at **10408 Abercorn Street**, I have determined that the **Proposed Use, Restaurant, which serves alcoholic beverages/Tavern/Cocktail Lounge**, within the current **PUD-B-C Zoning District**:

- Is Not Permitted
- Requires Special Use Approval by the Zoning Board of Appeals
- Is Permitted as a Nonconforming Use
- Is Permitted with the Following Condition(s):
- Is Permitted by Right**

Additionally, I have determined that the **Proposed Use**:

- Is an Existing use/occupancy, but new ownership, management or request.**
- Is a New use/occupancy that requires the issuance of a Certificate of Occupancy prior to issuance of the Alcoholic Beverage License.

*Tiras Winn Petrea*

Tiras Winn Petrea  
Principal Zoning Inspector

**AGENDA ITEM TITLE: Transfer of Consumption of Alcoholic Beverage License on Premises for Tyrone Morgan DBA Carrabba's Italian Grill, # 6110**

AGENDA DATE: 07 DECEMBER 2017

CODE CASE #: 2514-17

DATE OF INSPECTION: 20 November 2017

COMMERCIAL BUSINESS: Carrabba's Italian Grill, LLC

ADDRESS: 10408 Abercorn Street

PMD CODE VIOLATIONS: **In Compliance**

COMMENTS:

- Officer Carlton was asked to inspect area by Southside Supervisor Maureen Mobley for any code violations . Upon inspection (11/20/2017), it was noted that the back door of the business did not have premises identification. A Notice to Correct Conditions (#21548) was issued to the manager for 304.3-premises identification. No other violations were found during the initial inspection.
- Officer Carlton was notified by the manager that the rear premises identification numbers were now on the building. Officer Carlton inspected area on 11/21/2017 and found the property to be in compliance.





# SAVANNAH CHATHAM POLICE

METROPOLITAN

Chief Joseph H. Lumpkin, Sr.

TO: David Maxwell, CFO  
FROM: David Gay, Captain  
DATE: December 4, 2017  
SUBJECT: 10408 Abercorn Street / Carrabba's Italian Grill #6110

---

The purpose of this memorandum is to submit recommendations effective 12/04/2017. The following information is being supplied on an official basis concerning the Transfer of an Alcohol Beverage License application to **Tyrone Morgan**. A security plan has been submitted by the applicant and reviewed by Savannah-Chatham Metropolitan Police Department.

The security plan was examined to ensure it properly addresses all mentioned concerns in the City of Savannah's 2017 Alcohol Beverage Ordinance, Section 6-1206, Subsection D, Paragraph 4, Items A-I, as applicable.

In reference to the petition for **Tyrone Morgan** requesting a **Class C (Retail Dealer, Distilled Spirits, Malt Beverage, Wine) and Sunday Sales** permit at 10408 Abercorn Street, T/A "Carrabba's Italian Grill # 6110", I submit the following:

**Tyrone Morgan's** Security Plan has been reviewed. It should be noted the Security Plan addresses all applicable concerns as set forth by the governing sections of the City of Savannah's 2017 Alcohol Ordinance. The Savannah-Chatham Metropolitan Police Department has no reason(s) for recommending denial of this Security Plan.

D. Gay 12/5/17

David Gay, Captain  
Savannah-Chatham Metropolitan Police Department



# SAVANNAH CHATHAM POLICE METROPOLITAN

Chief Joseph H. Lumpkin, Sr.

**TO:** Rob Hernandez, City Manager  
**FROM:** Joseph H. Lumpkin Sr., Chief of Police  
**DATE:** December 4, 2017  
**SUBJECT:** 10408 Abercorn Street / Carrabba's Italian Grill #6110

---

The purpose of this memorandum is to submit recommendations effective 12/04/2017. The following information is being supplied on an official basis concerning the Original Alcohol Beverage License application of Mr. Tyrone Morgan pertinent records of the Georgia Crime Information Center and local agencies have been searched as of this date with the following results: (Only that information which would bear upon this application is recorded.)

**SAVANNAH-CHATHAM METROPOLITAN POLICE DEPARTMENT**


No Record

**GEORGIA CRIME INFORMATION CENTER**

No Record

In reference to the petition for **Mr. Tyrone Morgan** requesting **Class C (Retail Dealer On-premises Consumption: Distilled Spirits, Malt Beverage, and Wine) and Sunday Sales** at 10408 Abercorn Street, T/A "Carrabba's Italian Grill #6110", I submit the following:

**Mr. Tyrone Morgan's** fingerprints are on file. It should be noted there are no disqualifying criminal records. Applicable criminal records or incidents concerning this location under the listed name and/or business are not on file. Savannah-Chatham Metropolitan Police Department has no reason(s) for recommending denial of this petition.



Joseph H. Lumpkin Sr., Chief of Police  
Savannah Chatham Metropolitan Police Department



**OFFICE OF THE CLERK OF COUNCIL  
ALCOHOLIC BEVERAGE LICENSE HEARING  
PUBLIC HEARING NOTICE**

Notice is hereby given that Tyrone Morgan for Carrabba's Italian Grill, LLC t/a Carrabba's Italian Grill #6110, requesting transfer of liquor, beer and wine (drink) license with Sunday sales from Christopher Martindale at 10408 Abercorn Street, which is located between Tibet Avenue and Magnolia Avenue in District 6. The applicant plans to continue to operate as a full-service restaurant. (New management/existing business), will be heard at the meeting of City Council at 2:00 pm, December 21, 2017 in the Council Chambers, second floor of City Hall.

Anyone objecting to the issuance of this license may appear at that time and be heard.

City of Savannah  
Luciana Spracher  
Acting Clerk of Council

---

SAVANNAH MORNING NEWS  
SPECIAL NOTICE COLUMN

Please insert the above notice in the SPECIAL NOTICE column of the Savannah Morning News: Monday, December 11, 2017.

Please let the City's Purchasing Department have two copies of the affidavit of publication.

OFFICE OF THE CLERK OF COUNCIL

Legal notice emailed to Purchasing to be forwarded to Savannah Morning News:  
Friday, December 8, 2017.



# CITY OF SAVANNAH REVENUE DEPARTMENT

## ALCOHOLIC BEVERAGE LICENSE MEASUREMENT REPORT

Type Application: **Transfer**

Council Date: December 21, 2017

Petition Number:

Name of Applicant: Tyrone Morgan

Name of Establishment: Carrabba's Italian Grill #6110

Address/Location: 10408 Abercorn Street

Nearest Cross Streets: **Magnolia Ave. and Tibet Ave.**

Type of License:  Beer:  by the drink  package  Sunday Sales  
 Wine:  by the drink  package  
 Liquor:  by the drink  package

Date Sign Posted:

Reviewed by **Judee Jones, Deputy City Marshal** *Judee Jones*

Date Reviewed: *12/5/17*

Reviewed by **David Maxwell CFO, Interim Revenue Director** *David Maxwell*

Date Reviewed: *12-7-17*

### MEASUREMENTS

- This establishment is in compliance with all distance requirements.  
 This establishment is NOT in compliance with all distance requirements, as described:

Measured by: **Katrina Myers, ABC Investigator**  
Savannah Chatham Metropolitan Police Department

Date Measured: 11/27/2017

Done by:  Odometer  Roller Tape

LIQUOR - PACKAGE

**Church, School Building, Educational Building, School Grounds, College Campus, or Package Store**

Measure from the establishment's *primary entrance* to the *primary entrance* of a church, school building, educational building, school grounds, college campus, or existing package store *along a straight line which is the shortest distance between the two property lines* [O.C.G.A 2-2-12 (d)(1)] [licenses issued after April 13, 1979].

Nearest church and location-

Minimum distance: 100 yards. Measured distance \_\_\_\_\_ yards In compliance?  Yes  No

Nearest school building, educational building, school grounds, or college campus and location-

Minimum distance: 200 yards. Measured distance \_\_\_\_\_ yards In compliance?  Yes  No

Nearest package store and location -

Minimum distance: 500 yards. Measured distance \_\_\_\_\_ yards In compliance?  Yes  No

**Alcohol Treatment Center**

Measure from the establishment's *primary entrance* to the *primary entrance* of an alcohol treatment center owned and operated by the state, county, or city by *the most direct route of travel on the ground*.

Nearest alcohol treatment center and location -

Minimum distance: 100 yards. Measured distance \_\_\_\_\_ yards In compliance?  Yes  No

**BEER/WINE - PACKAGE**

**School Building, Educational Building, School Grounds, or College Campus**

Measure from the establishment's *primary entrance* to the *property line* of a: school building, educational building, school grounds, or college campus by *the most direct route of travel on the ground*.

Nearest school building, educational building, school grounds, or college campus and location-

Minimum distance: 100 yards. Measured distance: \_\_\_\_\_ yards In compliance?  Yes  No

**Alcohol Treatment Center**

Measure from the establishment's *primary entrance* to the *primary entrance* of an alcohol treatment center owned and operated by the state, county or city by *the most direct route of travel on the ground*.

Nearest alcohol treatment center and location -

Minimum distance: 100 yards. Measured distance: \_\_\_\_\_ yards In compliance?  Yes  No

There is no distance minimum to a church for package beer and wine.

**LIQUOR - BY THE DRINK FOR CONSUMPTION ON PREMISES**

Church, School Building, Educational Building, College Campus, Alcohol Treatment Center, School Grounds

Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest church building, school building, educational building, college campus, or alcohol treatment center owned and operated by the state, county, or city, OR to the nearest portion of the nearest school grounds, whichever is applicable.

Nearest church building and location- White Bluff Presbyterian Church 10710 White Bluff Rd.

Minimum distance: 100 yards. Measured distance: 792 yards In compliance?  Yes  No

Nearest school building, educational building, school grounds, or college campus and location- White Bluff Elementary 9902 White Bluff Rd.

Minimum distance: 200 yards. Measured distance: 792 yards In compliance?  Yes  No

"College campus" does not apply to college grounds, stadiums, or recreational areas.

Nearest school grounds and location -

Minimum distance: 200 yards. Measured distance- yards In compliance?  Yes  No

"School grounds" means the property line of the tract on which the school is located.

Nearest alcohol treatment center and location- Georgia Regional at 1915 Eisenhower Dr.

Minimum distance: 100 yards. Measured distance: 10,718 yards In compliance?  Yes  No

**BEER AND/OR WINE - BY THE DRINK FOR CONSUMPTION ON THE PREMISE**

School Building, School Grounds, College Campus, or Alcohol Treatment Center

Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest school building, educational building, or alcohol treatment center, and to the nearest portion of the nearest school grounds.

Nearest school building, educational building, school grounds, or college campus and location- White Bluff Elementary 9902 White Bluff Rd.

Minimum distance: 100 yards. Measured distance: 792 yards In compliance?  Yes  No

"School grounds" means the property line of the tract on which the school is located.

"College campus" does not apply to college grounds, stadiums, or recreational areas.

Nearest alcohol treatment center owned and operated by the state, county, or city and location- Georgia Regional at 1915 Eisenhower Dr.

Minimum distance: 100 yards. Measured distance: 10,718 yards In compliance?  Yes  No

No distance requirements apply to churches for beer/wine by the drink for consumption on the premises.

EXEMPTIONS: No distance requirements for liquor, beer or wine sold by the drink for consumption on the premises apply to the following:

1. Hotels of fifty rooms or more which have been in continuous operation for a period of at least five years preceding July 1, 1981
2. Hotels of less than fifty rooms for the retail sale of alcoholic beverages solely to occupants of the hotel and their guests by the drink for consumption only on the premises
3. A private social club which is open only to its members and their guests and not to the general public, which does not advertise for or solicit patrons, which has an operating dining room as an integral part of its facilities, which dispenses alcoholic beverages solely to club members or their guests by the drink for consumption only on the premises
4. A restaurant that sells alcoholic beverages as a part of the meal or to restaurant patrons waiting for a table to be served a meal in a public place, licensed as a restaurant, and kept, maintained, advertised, and held out to the public as a place where meals are served and where meals are actually and regularly served, such place being provided with adequate and sanitary kitchen and dining room equipment and seating capacity of at least forty people, having employed therein a sufficient number and kind of employees to prepare, cook, and serve suitable food for its guests with the serving of alcoholic beverages to be consumed on the premises as only incidental thereto.
5. Colleges within the Historic District or the Victorian District (Savannah River to 37th Street, East Broad Street to MLK Boulevard) when the premises are zoned to allow such use **In Historic/Victorian District? NO**

ATTACH A DIAGRAM OF THE ESTABLISHMENT'S LOCATION IN RELATION TO THE IDENTIFIED SITES.

Diagram attached? **NO**