

# THE SAVOY SOCIETY

102 E. Liberty St. Ste. 109

<input checked="" type="checkbox"/>	New		Renewal		Transfer
<input checked="" type="checkbox"/>	Beer	<input checked="" type="checkbox"/>	Wine	<input checked="" type="checkbox"/>	Liquor

<b>Proposed License Classification</b>
<b>Class C – Retail Dealer (On-Premise Consumption) with Sunday Sales</b>

<b>Proposed Zoning Use</b>
<b>Restaurant that sells alcoholic beverages/Tavern/Bar/Cocktail Lounge</b>

TASK	RESPONSIBLE PARTY
<b>Initial Review</b>	<b>Revenue Department</b>
<input checked="" type="checkbox"/> Applicant Interview – Classification Overview	Date: <b>06-12-20</b>
<input checked="" type="checkbox"/> Previous License Review	Notes: Two additional licenses held be applicant
<input checked="" type="checkbox"/> Health Dept/Dept of Ag Coordination (If Needed)	Notes: Pending issuance of CO

Public Hearing (Scheduled for)	Clerk of Council
<input checked="" type="checkbox"/> Advertised in Newspaper	Date: <b>07-09-19</b>
<input checked="" type="checkbox"/> Prepared Sign for Posting	Date: <b>06-19-19</b>

Measurement Report	SPD ABC Unit
<input type="checkbox"/> In Compliance	<input checked="" type="checkbox"/> Not In Compliance; measurement distance 85 yards from nearest school. Customer request exemption for 40 seating be applied
<input checked="" type="checkbox"/> Measurements Taken	Date: <b>07-01-19</b>
<input checked="" type="checkbox"/> Sign Posted	Date: <b>07-01-19</b>
<input checked="" type="checkbox"/> Revenue Department Review	Date: <b>07-05-19</b>

Public Safety Review	SPD ABC Unit
<input checked="" type="checkbox"/> Background Check Completed	Date: <b>07-01-19</b>
<input checked="" type="checkbox"/> Public Safety Plan Reviewed	Date: <b>06-21-19</b>

Neighborhood Notification	Human Services Department	
<input checked="" type="checkbox"/> Email Notification	Date: <b>6/27-19</b>	Notes: Sent email 6-27-19. Response 6-28 no concerns no meeting needed. (km)
<input checked="" type="checkbox"/> Phone Contact	Date:	Notes:
<input type="checkbox"/> Visit	Date:	Notes:

Code Enforcement Site Review	Code Compliance Department
<input checked="" type="checkbox"/> Inspection Conducted	Date:
<input checked="" type="checkbox"/> Compliant	Notes: In Compliance
	Non-Compliant

Density Map	Development Service
<input checked="" type="checkbox"/> Completed	Date: <b>6/14/2019</b>

Zoning Review	Planning and Urban Design Department
Review of Proposed Use for Restaurant that sells alcoholic beverages/Tavern/Bar/Cocktail Lounge Appropriateness	<input checked="" type="checkbox"/> Permitted by Right
	<input type="checkbox"/> Requires Special Use Approval or Variance
	<input type="checkbox"/> Permitted as a Non-Conforming Use
	<input type="checkbox"/> Permitted with Conditions
	<input type="checkbox"/> Not Permitted
	Notes: - Is Permitted by Right -Is an Existing use/occupancy, but new ownership, management or request -Was approved under Business Location Approval #19-003479