

Amelia Dempsey

To: president@savannahdna.org
Subject: Alcohol Beverage License Hearing - June 8 (Fairfield Inn & Suites, Liquid, The Brice)
Attachments: AlcoholBeverageHearingJune8.docx

Good afternoon Ms. Allen,

The attached Public Hearing Notices are provided as a courtesy to advise you on applications for new, renewal or transfer of an alcoholic beverage license in your neighborhood. The applicant's name and the address of the establishments appear on the public notices, as well as the date of the public hearing before City Council. If you have any concerns regarding these establishments and would like an opportunity to share your concerns with the owners, please call the City of Savannah at (912) 651-3685.

When in receipt of this e-mail, please send me a return note with the word "Received". This will assure us that you are in receipt of this notice.

**OFFICE OF THE CLERK OF COUNCIL
ALCOHOLIC BEVERAGE LICENSE HEARING
PUBLIC HEARING NOTICE**

Notice is hereby given that Krishna Patel for Shree Maha Laxmi, Inc. t/a Fairfield Inn & Suites – Historic Savannah, requesting to add beer and wine (package) license to existing liquor, beer and wine (drink) license with Sunday sales at 135 Martin Luther King Boulevard, which is located between Oglethorpe Avenue and Zubley Street in District 2. The applicant plans to continue to operate as a hotel. (New request/existing business), will be heard at the meeting of City Council at 2:00 pm, Thursday, June 8, 2017 in the Council Chambers, second floor of City Hall.

Anyone objecting to the issuance of this license may appear at that time and be heard.

City of Savannah
Dyanne C. Reese
Clerk of Council

SAVANNAH MORNING NEWS
SPECIAL NOTICE COLUMN

Please insert the above notice in the SPECIAL NOTICE column of the Savannah Morning News: Thursday, June 1, 2017.

Please let the City's Purchasing Department have two copies of the affidavit of publication.

OFFICE OF THE CLERK OF COUNCIL

Legal notice emailed to Purchasing to be forwarded to Savannah Morning News:
Tuesday, May 30, 2017.

*Ms. Melinda Allen
Downtown N.A.*



INTER-DEPARTMENT MEMORANDUM

DATE: May 24, 2017
TO: Judee Jones, Revenue Administrator
FROM: Tiras Winn Petrea, Principal Zoning Inspector
Cc: Sergeant Shinita Young, SCMPD's Alcohol Beverage Compliance Unit
SUBJECT: Zoning Compliance
RE: Application for Alcoholic Beverage License

In reference to the application of KRISHNA PATEL, T/A FAIRFIELD INN & SUITES – HISTORIC SAVANNAH, requesting an alcoholic beverage license at 135 MARTIN LUTHER KING JR, BLVD., I have determined that the PROPOSED USE, HOTEL WITH BAR/TAVERN/COCKTAIL LOUNGE, within the current B-C Zoning District:

- ☐ IS NOT PERMITTED
- ☐ REQUIRES SPECIAL USE APPROVAL BY THE ZONING BOARD OF APPEALS
- ☐ IS PERMITTED AS A NONCONFORMING USE
- ☐ IS PERMITTED WITH THE FOLLOWING CONDITION(S):
- ☒ IS PERMITTED BY RIGHT

The PROPOSED USE:

- ☒ Is an EXISTING USE/OCCUPANCY, but new ownership, management or request.
- ☐ Is a NEW USE/OCCUPANCY that requires the issuance of a CERTIFICATE OF OCCUPANCY prior to issuance of the Alcoholic Beverage License.

Tiras Winn Petrea

Tiras Winn Petrea
Principal Zoning Inspector



CITY OF SAVANNAH REVENUE DEPARTMENT ALCOHOLIC BEVERAGE LICENSE MEASUREMENT REPORT

Type Application: **Transfer** Council Date: June 8, 2017 Petition Number:

Name of Applicant: Krishna Patel

Name of Establishment: Fairfield Inn & Suites

Address/Location: 135 Martin Luther King Boulevard

Nearest Cross Streets: West Oglethorpe and Zubley Street

Type of License: ☒ Beer: ☐ by the drink ☒ package ☐ Sunday Sales
☒ Wine: ☐ by the drink ☒ package
☐ Liquor: ☐ by the drink ☐ package

Adding to existing liquor, beer and wine- by Drink

Date Sign Posted:

Reviewed by Judee Jones, Deputy City Marshal:

Date Reviewed: 5/31/17

Reviewed by Heath Lloyd, Interim Revenue Director:

Date Reviewed: 5/31/17

MEASUREMENTS

- ☒ This establishment is in compliance with all distance requirements.
☐ This establishment is NOT in compliance with all distance requirements, as described:

Measured by: Katrina Myers, ABC Investigator
Savannah Chatham Metropolitan Police Department

Date Measured: 5/23/2017 Done by: ☒ Odometer ☐ Roller Tape

☐ LIQUOR - PACKAGE

Church, School Building, Educational Building, School Grounds, College Campus, or Package Store

Measure from the establishment's *primary entrance* to the *primary entrance* of a church, school building, educational building, school grounds, college campus, or existing package store *along a straight line which is the shortest distance between the two property lines* [O.C.G.A 2-2-12 (d)(1)] [licenses issued after April 13, 1979].

Nearest church and location-

Minimum distance: 100 yards. Measured distance yards In compliance? ☐ Yes ☐ No

Nearest school building, educational building, school grounds, or college campus and location-

Minimum distance: 200 yards. Measured distance yards In compliance? ☐ Yes ☐ No

Nearest package store and location -

Minimum distance: 500 yards. Measured distance yards In compliance? ☐ Yes ☐ No

Alcohol Treatment Center

Measure from the establishment's *primary entrance* to the *primary entrance* of an alcohol treatment center owned and operated by the state, county, or city by *the most direct route of travel on the ground*.

Nearest alcohol treatment center and location -

Minimum distance: 100 yards. Measured distance yards In compliance? ☐ Yes ☐ No

☒ BEER/WINE - PACKAGE

School Building, Educational Building, School Grounds, or College Campus

Measure from the establishment's *primary entrance* to the *property line* of a: school building, educational building, school grounds, or college campus by *the most direct route of travel on the ground*.

Nearest school building, educational building, school grounds, or college campus and location- Garrison Elementary 649 W Jones St

Minimum distance: 100 yards. Measured distance 1056 yards In compliance? ☒ Yes ☐ No

Alcohol Treatment Center

Measure from the establishment's *primary entrance* to the *primary entrance* of an alcohol treatment center owned and operated by the state, county or city by *the most direct route of travel on the ground*.

Nearest alcohol treatment center and location - Georgia Regional Hospital 1915 Eisenhower Dr.

Minimum distance: 100 yards. Measured distance 13,552 yards In compliance? ☒ Yes ☐ No

There is no distance minimum to a church for package beer and wine.

☐ **LIQUOR - BY THE DRINK FOR CONSUMPTION ON PREMISES**

Church, School Building, Educational Building, College Campus, Alcohol Treatment Center, School Grounds

Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest church building, school building, educational building, college campus, or alcohol treatment center owned and operated by the state, county, or city, OR to the nearest portion of the nearest school grounds, whichever is applicable.

Nearest church building and location :

Minimum distance: 100 yards. Measured distance yards In compliance? ☐ Yes ☐ No

Nearest school building, educational building, school grounds, or college campus and location-

Minimum distance: 200 yards. Measured distance yards In compliance? ☐ Yes ☐ No

"College campus" does not apply to college grounds, stadiums, or recreational areas.

Nearest school grounds and location

Minimum distance: 200 yards. Measured distance yards In compliance? ☐ Yes ☐ No

"School grounds" means the property line of the tract on which the school is located.

Nearest alcohol treatment center and location

Minimum distance: 100 yards. Measured distance * yards In compliance? ☐ Yes ☐ No

☐ **BEER AND/OR WINE - BY THE DRINK FOR CONSUMPTION ON THE PREMISE**

School Building, School Grounds, College Campus, or Alcohol Treatment Center

Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest school building, educational building, or alcohol treatment center, and to the nearest portion of the nearest school grounds.

Nearest school building, educational building, school grounds, or college campus and location

Minimum distance: 100 yards. Measured distance yards In compliance? ☐ Yes ☐ No

"School grounds" means the property line of the tract on which the school is located.

"College campus" does not apply to college grounds, stadiums, or recreational areas.

Nearest alcohol treatment center owned and operated by the state, county, or city and location

Minimum distance: 100 yards. Measured distance * yards In compliance? ☐ Yes ☐ No

No distance requirements apply to churches for beer/wine by the drink for consumption on the premises.

EXEMPTIONS: No distance requirements for liquor, beer or wine sold by the drink for consumption on the premises apply to the following:

1. Hotels of fifty rooms or more which have been in continuous operation for a period of at least five years preceding July 1, 1981
2. Hotels of less than fifty rooms for the retail sale of alcoholic beverages solely to occupants of the hotel and their guests by the drink for consumption only on the premises
3. A private social club which is open only to its members and their guests and not to the general public, which does not advertise for or solicit patrons, which has an operating dining room as an integral part of its facilities, which dispenses alcoholic beverages solely to club members or their guests by the drink for consumption only on the premises
4. A restaurant that sells alcoholic beverages as a part of the meal or to restaurant patrons waiting for a table to be served a meal in a public place, licensed as a restaurant, and kept, maintained, advertised, and held out to the public as a place where meals are served and where meals are actually and regularly served, such place being provided with adequate and sanitary kitchen and dining room equipment and seating capacity of at least forty people, having employed therein a sufficient number and kind of employees to prepare, cook, and serve suitable food for its guests with the serving of alcoholic beverages to be consumed on the premises as only incidental thereto.
5. Colleges within the Historic District or the Victorian District (Savannah River to 37th Street, East Broad Street to MLK Boulevard) when the premises are zoned to allow such use **In Historic/Victorian District? NO**

ATTACH A DIAGRAM OF THE ESTABLISHMENT'S LOCATION IN RELATION TO THE IDENTIFIED SITES.

Diagram attached? **NO**

**OFFICE OF THE CLERK OF COUNCIL
ALCOHOLIC BEVERAGE LICENSE HEARING
PUBLIC HEARING NOTICE**

Notice is hereby given that Krishna Patel for Shree Maha Laxmi, Inc. t/a Fairfield Inn & Suites – Historic Savannah, requesting to add beer and wine (package) license to existing liquor, beer and wine (drink) license with Sunday sales at 135 Martin Luther King Boulevard, which is located between Oglethorpe Avenue and Zubley Street in District 2. The applicant plans to continue to operate as a hotel. (New request/existing business), will be heard at the meeting of City Council at 2:00 pm, Thursday, June 8, 2017 in the Council Chambers, second floor of City Hall.

Anyone objecting to the issuance of this license may appear at that time and be heard.

City of Savannah
Dyanne C. Reese
Clerk of Council

SAVANNAH MORNING NEWS
SPECIAL NOTICE COLUMN

Please insert the above notice in the SPECIAL NOTICE column of the Savannah Morning News: Thursday, June 1, 2017.

Please let the City's Purchasing Department have two copies of the affidavit of publication.

OFFICE OF THE CLERK OF COUNCIL

Legal notice emailed to Purchasing to be forwarded to Savannah Morning News:
Tuesday, May 30, 2017.



SAVANNAH CHATHAM POLICE METROPOLITAN

Chief Joseph H. Lumpkin, Sr.

TO: Rob Hernandez, City Manager
FROM: Joseph H. Lumpkin Sr., Chief of Police
DATE: May 22, 2017
SUBJECT: 135 Martin Luther King Jr. Blvd. / Fairfield Inn & Suites

The purpose of this memorandum is to submit recommendations effective 05/22/2017. The following information is being supplied on an official basis concerning the Original Alcohol Beverage License application for Mr. Krishna Patel. Pertinent records of the Georgia Crime Information Center and local agencies have been searched as of this date with the following results: (Only that information which would bear upon this application is recorded.)

SAVANNAH-CHATHAM METROPOLITAN POLICE DEPARTMENT

No Record

GEORGIA CRIME INFORMATION CENTER

Record on File

In reference to the petition for **Mr. Krishna Patel** requesting an addition to an alcohol license **Class E (Ancillary Retail Package Store –Malt Beverage, and Wine)** at 135 Martin Luther King Jr. Blvd., T/A "Fairfield Inn & Suites", I submit the following:

Mr. Krishna Patel's fingerprints are on file. It should be noted there are no disqualifying criminal records. Applicable criminal records or incidents concerning this location under the listed name and/or business are not on file. Savannah-Chatham Metropolitan Police Department has no reason(s) for recommending denial of this petition.

Joseph H. Lumpkin Sr. 052617 (DA)

Joseph H. Lumpkin Sr., Chief of Police
Savannah Chatham Metropolitan Police Department



SAVANNAH CHATHAM POLICE METROPOLITAN

Chief Joseph H. Lumpkin, Sr.

TO: Heath Llyod, Department of Revenue
FROM: DeVonn Adams, Major
DATE: May 24, 2017
SUBJECT: 135 Martin Luther King Junior Boulevard / Fairfield Inn & Suites

The purpose of this memorandum is to submit recommendations effective 05/24/2017. The following information is being supplied on an official basis concerning the Original Alcohol Beverage License application of **Krishna Patel**. A security plan has been submitted by the applicant and reviewed by Savannah-Chatham Metropolitan Police Department.

The security plan was examined to ensure it properly addresses all mentioned concerns in the City of Savannah's 2017 Alcohol Beverage Ordinance, Section 6-1206, Subsection D, Paragraph 4, Items A-I, as applicable.

In reference to the petition for **Krishna Patel** requesting a **Class E (ancillary retail package store, malt beverage and wine, consumption off premise)** permit at 135 Martin Luther King Junior Boulevard, T/A "Fairfield Inn & Suites", I submit the following:

Krishna Patel's Security Plan has been reviewed. It should be noted the Security Plan addresses all applicable concerns as set forth by the governing sections of the City of Savannah's 2017 Alcohol Ordinance. The Savannah-Chatham Metropolitan Police Department has no reason(s) for recommending denial of this Security Plan.

A handwritten signature in blue ink, appearing to read "DeVonn Adams", is written over a horizontal line.

DeVonn Adams, Major
Savannah Chatham Metropolitan Police Department