

**OFFICE OF THE CLERK OF COUNCIL
ALCOHOLIC BEVERAGE LICENSE HEARING
PUBLIC HEARING NOTICE**

Notice is hereby given that Wayne N. Jones for Derenne 2017, LLC t/a Stop N Save, requesting transfer of beer and wine (package) license from Walter Wilcox at 1210 East Derenne Avenue, which is located between Sanders Street and Ranger Street. The applicant plans to continue to operate as a convenience store. (New management/existing business), will be heard at the meeting of City Council at 2:00 pm, Thursday, May 11, 2017 in the Council Chambers, second floor of City Hall.

Anyone objecting to the issuance of this license may appear at that time and be heard.

City of Savannah
Dyanne C. Reese
Clerk of Council

SAVANNAH MORNING NEWS
SPECIAL NOTICE COLUMN

Please insert the above notice in the SPECIAL NOTICE column of the Savannah Morning News: Monday, May 1, 2017.

Please let the City's Purchasing Department have two copies of the affidavit of publication.

OFFICE OF THE CLERK OF COUNCIL

Legal notice emailed to Purchasing to be forwarded to Savannah Morning News:
Friday, April 28, 2017.

Commercial



SAVANNAH CHATHAM POLICE METROPOLITAN

Chief Joseph H. Lumpkin, Sr.

TO: Rob Hernandez, City Manager
FROM: Joseph H. Lumpkin Sr., Chief of Police
DATE: April 27, 2017
SUBJECT: 1210 E Derenne Ave Unit A/ Stop N Save

The purpose of this memorandum is to submit recommendations effective 04/27/2017. The following information is being supplied on an official basis concerning the Original Alcohol Beverage License application of Mr. Wayne Jones. Pertinent records of the Georgia Crime Information Center and local agencies have been searched as of this date with the following results: (Only that information which would bear upon this application is recorded.)

SAVANNAH-CHATHAM METROPOLITAN POLICE DEPARTMENT

No Record


GEORGIA CRIME INFORMATION CENTER

No Record

In reference to the petition for **Mr. Wayne Jones** requesting a **transfer alcohol license Class E (Ancillary Retail Package Store and Sunday Sales)** at 1210 E Derenne Ave Unit A, T/A "Stop N Save", I submit the following:

Mr. Wayne Jones fingerprints are on file. It should be noted there are no disqualifying criminal records. Applicable criminal records or incidents concerning this location under the listed name and/or business are not on file. Savannah-Chatham Metropolitan Police Department has no reason(s) for recommending denial of this petition.

Joseph H. Lumpkin Sr., Chief of Police
Savannah Chatham Metropolitan Police Department





SAVANNAH CHATHAM POLICE

METROPOLITAN

Chief Joseph H. Lumpkin, Sr.

TO: Cindy Landolt, Department of Revenue
FROM: DeVonn Adams, Major
DATE: April 17, 2017
SUBJECT: 1210 East Derenne Avenue / Stop N Save

The purpose of this memorandum is to submit recommendations effective 04/17/2017. The following information is being supplied on an official basis concerning the Original Alcohol Beverage License application of **Wayne Jones**. A security plan has been submitted by the applicant and reviewed by Savannah-Chatham Metropolitan Police Department.

The security plan was examined to ensure it properly addresses all mentioned concerns in the City of Savannah's 2017 Alcohol Beverage Ordinance, Section 6-1206, Subsection D, Paragraph 4, Items A-I, as applicable.

In reference to the petition for **Wayne Jones** requesting a **Class D (retail package store, malt beverage and wine, consumption off premise only) and Sunday sales permit** at 1210 East Derenne Avenue, T/A "Stop N Save", I submit the following:

Wayne Jones' Security Plan has been reviewed. It should be noted the Security Plan addresses all applicable concerns as set forth by the governing sections of the City of Savannah's 2017 Alcohol Ordinance. The Savannah-Chatham Metropolitan Police Department has no reason(s) for recommending denial of this Security Plan.

Joseph H. Lumpkin, Sr. for Major Adams
041717

DeVonn Adams, Major
Savannah Chatham Metropolitan Police Department

**OFFICE OF THE CLERK OF COUNCIL
ALCOHOLIC BEVERAGE LICENSE HEARING
PUBLIC HEARING NOTICE**

Notice is hereby given that Wayne N. Jones for Derenne 2017, LLC t/a Stop N Save, requesting transfer of beer and wine (package) license from Walter Wilcox at 1210 East Derenne Avenue, which is located between Sanders Street and Ranger Street. The applicant plans to continue to operate as a convenience store. (New management/existing business), will be heard at the meeting of City Council at 2:00 pm, Thursday, May 11, 2017 in the Council Chambers, second floor of City Hall.

Anyone objecting to the issuance of this license may appear at that time and be heard.

City of Savannah
Dyanne C. Reese
Clerk of Council

SAVANNAH MORNING NEWS
SPECIAL NOTICE COLUMN

Please insert the above notice in the SPECIAL NOTICE column of the Savannah Morning News: Monday, May 1, 2017.

Please let the City's Purchasing Department have two copies of the affidavit of publication.

OFFICE OF THE CLERK OF COUNCIL

Legal notice emailed to Purchasing to be forwarded to Savannah Morning News:
Friday, April 28, 2017.



CITY OF SAVANNAH REVENUE DEPARTMENT ALCOHOLIC BEVERAGE LICENSE MEASUREMENT REPORT

Type Application: **Transfer** Council Date: May 11, 2017 Petition Number:

Name of Applicant: **Wayne Jones**

Name of Establishment: **Stop N Save**

Address/Location: **1210 E De Renne Ave Unit A**

Nearest Cross Streets: **Sanders Street and Ranger Street**

Type of License: Beer: by the drink package Sunday Sales
 Wine: by the drink package
 Liquor: by the drink package

Date Sign Posted:

Reviewed by **Judee Jones, Deputy City Marshal:** *Judee Jones*

Date Reviewed: **5/2/17**

Reviewed by **Cindy Landolt, City Marshal:** *Cindy Landolt*

Date Reviewed: **5/3/17**

MEASUREMENTS

This establishment is in compliance with all distance requirements.
 This establishment is NOT in compliance with all distance requirements, as described:

Measured by: **Katrina Myers, ABC Investigator
Savannah Chatham Metropolitan Police Department**

Date Measured: **April 12, 2017** Done by: Odometer Roller Tape

LIQUOR - PACKAGE

Church, School Building, Educational Building, School Grounds, College Campus, or Package Store

Measure from the establishment's *primary entrance* to the *primary entrance* of a church, school building, educational building, school grounds, college campus, or existing package store *along a straight line which is the shortest distance between the two property lines* [O.C.G.A 2-2-12 (d)(1)] [licenses issued after April 13, 1979].

Nearest church and location-

Minimum distance: 100 yards. Measured distance yards In compliance? Yes No

Nearest school building, educational building, school grounds, or college campus and location-

Minimum distance: 200 yards. Measured distance yards In compliance? Yes No

Nearest package store and location -

Minimum distance: 500 yards. Measured distance yards In compliance? Yes No

Alcohol Treatment Center

Measure from the establishment's *primary entrance* to the *primary entrance* of an alcohol treatment center owned and operated by the state, county, or city by *the most direct route of travel on the ground*.

Nearest alcohol treatment center and location -

Minimum distance: 100 yards. Measured distance yards In compliance? Yes No

BEER/WINE - PACKAGE

School Building, Educational Building, School Grounds, or College Campus

Measure from the establishment's *primary entrance* to the *property line* of a: school building, educational building, school grounds, or college campus by *the most direct route of travel on the ground*.

Nearest school building, educational building, school grounds, or college campus and location- **Jenkins High School**

Minimum distance: 100 yards. Measured distance **880** yards In compliance? Yes No

Alcohol Treatment Center

Measure from the establishment's *primary entrance* to the *primary entrance* of an alcohol treatment center owned and operated by the state, county or city by *the most direct route of travel on the ground*.

Nearest alcohol treatment center and location - **Georgia Regional Hospital 1915 Eisenhower Dr.**

Minimum distance: 100 yards. Measured distance * yards In compliance? Yes No
* Over 1 Mile

There is no distance minimum to a church for package beer and wine.

