

PHOTOS				
COMMENTS		No PMD violations.		
PMD CODE	VIOLATIONS	N/A		
ADDRESS		400 Airways Avenue		
COMMERCIAL	BUSINESS	The Salt Table		
DATE OF	INSPECTION	5-8-2017		
CODE	CASE#	N/A		



INTER-DEPARTMENT MEMORANDUM

DATE: May 8, 2017

TO: Judee Jones, Revenue Administrator

FROM: Tiras Winn Petrea, Principal Zoning Inspector

Cc: Sergeant Shinita Young, SCMPD's Alcohol Beverage Compliance Unit

SUBJECT: Zoning Compliance

RE: Application for Alcoholic Beverage License

beverage license at 400 Airways Ave, I have determined that the Proposed Use, Specialty shop

THAT SELLS WINE BY THE PACKAGE, within the current I-L Zoning District:

Is Not Permitted

Requires Special Use Approval by the Zoning Board of Appeals

Is Permitted as a Nonconforming Use

Is Permitted with the Following Condition(s):

Is Permitted by Right

The Proposed Use:

In reference to the application of CAROL SELLERS, T/A THE SALT TABLE, requesting an alcoholic

⊠ Is an Ex

Is an EXISTING USE/OCCUPANCY, but new ownership, management or request.

Is a New Use/Occupancy that requires the issuance of a <u>CERTIFICATE OF OCCUPANCY</u> prior to issuance of the Alcoholic Beverage License.

Tiras Winn Petrea

Principal Zoning Inspector

Tiras Winn Petre

Revised Date: January 6, 2017

Alcoholic Beverage License Memo

17-002559-ABL

5515 ABERCORN ST, P.O. BOX 1027, SAVANNAH, GA, 31402 PHONE 912.651.6530 TDD 912.651.6702 FAX 912.651.6543 SAVANNAHGA.GOV

CITY OF SAVANNAH REVENUE DEPARTMENT ALCOHOLIC BEVERAGE LICENSE MEASUREMENT REPORT

Type Application: NEW	Council Date: May 25, 2017 Pe		tion Number:							
Name of Applicant: Carol Sellers										
Name of Establishment: The Salt Table	LLC									
Address/Location: 400 Airways Avenue										
Nearest Cross Streets: Gulfstream Ro	ad and Agget Drive									
Type of License: Beer: Wine: Siquor:	by the drink by the drink by the drink	☐ packa ☑ packa ☐ packa	ge	es						
Date Sign Posted: 05/05/2017	1	7								
Reviewed by Judee Jones, Deputy Ci	ty Marshal!	h		Date Reviewed: 5.11-17						
Reviewed by Cindy Landolt, City Marshal: Date Reviewed:										
☐ This establishment is in compl☐ This establishment is NOT in complŒ This establishment is NOT in compl☐ This establishment is NOT in complŒ This establishment is NOT in co										
Measured by: Megan Edwards, ABC Investigator Savannah Chatham Metropolitan Police Department										
Date Measured: 05/05/2017		Done by:	⊠Odometer ⊟Rolle	er Tape						
☐ LIQUOR - PACKAGE										
Church, School Building, Educational Building, School Grounds, College Campus, or Package Store										
Measure from the establishment's <i>primary entrance</i> to the <i>primary entrance</i> of a church, school building, educational building, school grounds, college campus, or existing package store along a straight line which is the shortest distance between the two property lines [O.C.G.A 2-2-12 (d)(1)] [licenses issued after April 13, 1979].										
Nearest church and <i>location</i> -										
Minimum distance: 100 yards. Meast	ured distance ya	rds	In compliance? Yes	s 🗌 No						
Nearest school building, educational bu	ilding, school grounds,	or college	campus and location-							
Minimum distance: 200 yards. Meas	ured distance ya	rds	In compliance? Yes	S □ No						
Nearest package store and <i>location</i> -										
Minimum distance: 500 yards. Meas	ured distance ya	irds	In compliance? Ye	s 🗌 No						
Alcohol Treatment Center										
Measure from the establishment's <i>prim</i> operated by the state, county, or city by	ary entrance to the prin the most direct route	nary entrar of travel on	nce of an alcohol treatm the ground.	nent center owned and						
Nearest alcohol treatment center and L	ocation -									
Minimum distance: 100 yards. Meas	sured distance y	ards	In compliance? \[Yes	s 🗌 No						
School Building, Educational Buildin	ng, School Grounds, o	or College	Campus							
Measure from the establishment's prim grounds, or college campus by the mo.	eary entrance to the pro st direct route of travel	perty line o	of a: school building, edund.	lucational building, school						
Nearest school building, educational bu	uilding, school grounds	or college	campus and location-							
Georgia Tech Savannah, 210 Techno	ology Cir, Savannah, (GA 31407								
Minimum distance: 100 yards. Mea	sured distance: Over a	Mile yar	rds In compliance	e? ⊠ Yes □ No						
Alcohol Treatment Center										
Measure from the establishment's properated by the state, county or city by	imary entrance to the the most direct route o	primary of of travel on	entrance of an alcoho the ground.	I treatment center owned and						
Nearest alcohol treatment center and I	ocation – Georgia Re	gional at 1	1915 Eisenhower Driv	e						
Minimum distance: 100 yards. Mea	sured distance: Over a	Mile :yards	In compliance?	⊠ Yes □ No						

LIQUOR - BY THE DRINK FOR CONSUMPTION ON PREMISES Church, School Building, Educational Building, College Campus, Alcohol Treatment Center, School Grounds Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest church building, school building, educational building, college campus, or alcohol treatment center owned and operated by the state county or city OR to the nearest portion of the nearest school public way by the nearest route.						
Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest church building, school building, educational building, college campus, or alcohol treatment center owned and experted by the						
Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest church building, school building, educational building, college campus, or alcohol treatment center owned and exercted by the						
state, county, or city, OR to the nearest portion of the nearest school grounds, whichever is applicable.						
Nearest church building and <u>location</u> -						
Minimum distance: 100 yards. Measured distance: In compliance? Yes No						
Nearest school building, educational building, school grounds, or college campus and <u>location</u> -						
Minimum distance: 200 yards. Measured distance: In compliance? ☐ Yes ☐ No						
"College campus" does not apply to college grounds, stadiums, or recreational areas.						
Nearest school grounds and <u>location</u> –						
Minimum distance: 200 yards. Measured distance- yards In compliance? ☐ Yes ☐ No						
School grounds" means the property line of the tract on which the school is located.						
Nearest alcohol treatment center and location-						
Minimum distance: 100 yards. Measured distance −yards In compliance? ☐ Yes ☐ No						
☑ BEER AND/OR WINE - BY THE DRINK FOR CONSUMPTION ON THE PREMISE						
School Building, School Grounds, College Campus, or Alcohol Treatment Center						
Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest school building, educational building, or alcohol treatment center, and to the nearest portion of the nearest school grounds.						
Nearest school building, educational building, school grounds, or college campus and <i>location</i> -						
Georgia Tech Savannah, 210 Technology Cir, Savannah, GA 31407						
Minimum distance: 100 yards. Measured distance: Over a mile In compliance? ⊠ Yes ☐ No						
"School grounds" means the property line of the tract on which the school is located. "College campus" does not apply to college grounds, stadiums, or recreational areas.						
Nearest alcohol treatment center owned and operated by the state, county, or city and <u>location</u> -						
Georgia Regional at 1915 Eisenhower Drive						
Minimum distance: 100 yards. Measured distance: Over a Mile In compliance? ☑ Yes ☐ No						
No distance requirements apply to churches for beer/wine by the drink for consumption on the premises.						
EXEMPTIONS: No distance requirements for liquor, beer or wine sold by the drink for consumption on the premises apply to the following: 1. Hotels of fifty rooms or more which have been in continuous operation for a period of at least five years preceding July 1,						
1981 2. Hotels of less than fifty rooms for the retail sale of alcoholic beverages solely to occupants of the hotel and their guests by						
the drink for consumption only on the premises 3. A private social club which is open only to its members and their guests and not to the general public, which does not						
advertise for or solicit patrons, which has an operating dining room as an integral part of its facilities, which dispenses alcoholic beverages solely to club members or their guests by the drink for consumption only on the premises. A restaurant that sells alcoholic beverages as a part of the meal or to restaurant patrons waiting for a table to be served a meal in a public place, licensed as a restaurant, and kept, maintained, advertised, and held out to the public as a place						
 where meals are served and where meals are actually and regularly served, such place being provided with adequate and sanitary kitchen and dining room equipment and seating capacity of at least forty people, having employed therein a sufficient number and kind of employees to prepare, cook, and serve suitable food for its guests with the serving of alcoholic beverages to be consumed on the premises as only incidental thereto. 5. Colleges within the Historic District or the Victorian District (Savannah River to 37th Street, East Broad Street to MLK Boulevard) when the premises are zoned to allow such use In Historic/Victorian District? NO 						

ATTACH A DIAGRAM OF THE ESTABLISHMENT'S LOCATION IN RELATION TO THE IDENTIFIED SITES. Diagram attached? NO



TO:

Rob Hernandez, City Manager

FROM:

Joseph H. Lumpkin Sr., Chief of Police

DATE:

May 10, 2017

SUBJECT:

400 Airways Avenue / The Salt Table

The purpose of this memorandum is to submit recommendations effective 05/10/2017. The following information is being supplied on an official basis concerning the Original Alcohol Beverage License application of Ms. Carol Sellers. Pertinent records of the Georgia Crime Information Center and local agencies have been searched as of this date with the following results: (Only that information which would bear upon this application is recorded.)

SAVANNAH-CHATHAM METROPOLITAN POLICE DEPARTMENT

No Record

GEORGIA CRIME INFORMATION CENTER

No Record

In reference to the petition for Ms. Carol Sellers requesting a new alcohol license Class E (Ancillary Retail Package Store- Wine) and Class H (Samples, Wine) at 400 Airways Avenue, T/A "The Salt Table", I submit the following:

Ms. Carol Sellers' fingerprints are on file. It should be noted there are no disqualifying criminal records. Applicable criminal records or incidents concerning this location under the listed name and/or business are not on file. Savannah-Chatham Metropolitan Police Department has no reason(s) for recommending denial of this petition.

Joseph H. Lumpkin Sr., Chief of Police

Savannah Chatham Metropolitan Police Department



Chief Joseph H. Lumpkin, Sr.

TO:

Cindy Landolt, Department of Revenue

FROM:

DeVonn Adams, Major

DATE:

May 09, 2017

SUBJECT:

400 Airways Avenue / Salt Table

The purpose of this memorandum is to submit recommendations effective 05/09/2017. The following information is being supplied on an official basis concerning the Original Alcohol Beverage License application of Carol Sellers. A security plan has been submitted by the applicant and reviewed by Savannah-Chatham Metropolitan Police Department.

The security plan was examined to ensure it properly addresses all mentioned concerns in the City of Savannah's 2017 Alcohol Beverage Ordinance, Section 6-1206, Subsection D, Paragraph 4, Items A-I, as applicable.

In reference to the petition for Carol Sellers requesting a Class E (Ancillary Retail Package Store, Wine, Consumption Off Premise Only) and Class H (Samples, Wine, Consumption On Premise) permit at 400 Airways Avenue, T/A "Salt Table", I submit the following:

Carol Sellers' Security Plan has been reviewed. It should be noted the Security Plan addresses all applicable concerns as set forth by the governing sections of the City of Savannah's 2017 Alcohol Ordinance. The Savannah-Chatham Metropolitan Police Department has no reason(s) for recommending denial of this Security Plan.

DeVonn Adams, Major

Savannah-Chatham Metropolitan Police Department

License Class	Classification Distil	led Spirits A	lalt Beverage	Wine t	license Fee
Class A	License Alcohol Caterer	1 (At its incompatible we class E. F and G asses	2 (A) is seconductors with Class E, F and G uses;	3 (AZ is theorepatible with Classe E, F and G cases	
Class B	Manufacturer(Brower = 52)	1	2	3	
Class C	Retail Dealer	. 1	2	3	
Class D 🚱	Retail Package Store(Off-premises consumption)	1	2	3	
Class E	Ancillary Retail Package Store	×	2	9	400-
Class F	Wholesaler	. 1	2	3	
Class G	Complimentary Service	. x	2	3	
Class H V	Samples	x	2	3	100 -
Class I	Underage Permit	. —		_	
Sunday Sales					\$ 200.00
		TOTAL ANNUA	L LICENSE FEE: \$	500 a	2
Will alcoholic beve If yes, a separate 5	eating establishment? Yes No If yes 8 rages be dispensed on SUNDAY? Yes No Sunday sales affidavit must be submitted. A ackage establishment? Yes You Mo If yes, C	o Mdavit attached	ense number		

m to and subscribed before me this ADDINSPICENT'S Signature
NOTARY PUBLIC
Chatham County, GEORGIA'D signed by Applican
My Commit: Expires
11/15/2017

TORRESPONDE SIGNATURE SIGNATURE
11/15/2017 berry 20 184 0100 | License Fee: \$ 500.00 / 333.25

Application Fee: \$ 100.00 |

Advertising Fee: \$ 15.00 |

Advertising Fee: \$ 500.00 |

Advertising Fee: \$ 500.00 |

Total Due: \$ 553.35 ceived: 4-18-2017 tion Reviewed by: 5 ---

OFFICE OF THE CLERK OF COUNCIL ALCOHOLIC BEVERAGE LICENSE HEARING PUBLIC HEARING NOTICE

Notice is hereby given that Carol Sellers for Salt Table, LLC t/a Salt Table, requesting wine (package) license with Wine (sampling) at 400 Airways Avenue, which located between Ida B. Gadsden Drive and Melaver Drive in District 1. The applicant plans to operate as a gift shop. (New request/location/owner), will be heard at the meeting of City Council at 2:00 pm, Thursday, May 25, 2017 in the Council Chambers, second floor of City Hall.

Anyone objecting to the issuance of this license may appear at that time and be heard.

City of Savannah Dyanne C. Reese Clerk of Council

SAVANNAH MORNING NEWS SPECIAL NOTICE COLUMN

Please insert the above notice in the SPECIAL NOTICE column of the Savannah Morning News: <u>Tuesday</u>, May 16, 2017.

Please let the City's Purchasing Department have two copies of the affidavit of publication.

OFFICE OF THE CLERK OF COUNCIL

Legal notice emailed to Purchasing to be forwarded to Savannah Morning News: Monday, May 15, 2017.