



ALCOHOLIC BEVERAGE LICENSE MEASUREMENT REPORT

Type Application: NEW E23 Council Date: 9/14/23 Petition Number:

Name of Applicant: Shiv Patel

Name of Establishment: 7-11 Minit Store

Address/Location: 3700 Waters Ave

Nearest Cross Streets: Waters Ave/E 53rd St.

Type of License: Beer: [x] by the drink [x] package [x] Sunday Sales
Wine: [x] by the drink [x] package
Liquor: [] by the drink [] package

Date Sign Posted: 8/29/23

Reviewed by William Barnett, Sergeant [Signature]

Date Reviewed: 8/21/23

Reviewed by Date Reviewed:

MEASUREMENTS

- [x] This establishment is in compliance with all distance requirements.
[] This establishment is NOT in compliance with all distance requirements, as described:

Measured by:

Date Measured:

Done by: [x] Odometer [] Roller Tape

[] LIQUOR - PACKAGE

Church, School Building, Educational Building, School Grounds, College, or Package Store

Measure from the establishment's primary entrance to the primary entrance of a church, school building, educational building, school grounds, college, or existing package store along a straight line which is the shortest distance between the two property lines [O.C.G.A. 3-3-21] (a)(1)(A) [licenses issued after July 1, 2017].

Nearest church and location:

Minimum distance: 100 yards. Measured distance: yards In compliance? [] Yes [] No

Nearest school building, educational building, school grounds, or college and location:

Minimum distance: 200 yards. Measured distance: yards In compliance? [] Yes [] No

Nearest package store and location:

Minimum distance: 500 yards. Measured distance: yards In compliance? [] Yes [] No

Alcohol Treatment Center

Measure from the establishment's primary entrance to the primary entrance of an alcohol treatment center owned and operated by the state, county, or city by the most direct route of travel on the ground.

Nearest alcohol treatment center and location:

Minimum distance: 100 yards. Measured distance: yards In compliance? [] Yes [] No

[x] BEER/WINE - PACKAGE

School Building, Educational Building, School Grounds, or College

Measure from the establishment's primary entrance to the property line of a: school building, educational building, school grounds, or college by the most direct route of travel on the ground.

Nearest school building, educational building, school grounds, or college campus and location: Blessed Sacrament School, 1003 E. Victory Dr.

Minimum distance: 100 yards. Measured distance: 1056 yards In compliance? [x] Yes [] No

Alcohol Treatment Center

Measure from the establishment's primary entrance to the primary entrance of an alcohol treatment center owned and operated by the state, county or city by the most direct route of travel on the ground.

Nearest alcohol treatment center and location: Georgia Regional Hospital, 1915 Eisenhower Dr.

Minimum distance: 100 yards. Measured distance: 6688 yards In compliance? Yes No

There is no distance minimum to a church for package beer and wine.

LIQUOR - BY THE DRINK FOR CONSUMPTION ON PREMISES

Church, School Building, Educational Building, College, Alcohol Treatment Center, School Grounds

Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest church building, school building, educational building, college, or alcohol treatment center owned and operated by the state, county, or city, OR to the nearest portion of the nearest school grounds, whichever is applicable. Nearest church building and location:-

Minimum distance: 100 yards. Measured distance: yards In compliance? Yes No

Nearest school building, educational building, school grounds, or college and location:-

Minimum distance: 200 yards. Measured distance: yards In compliance? Yes No

Nearest school grounds and location:-

Minimum distance: 200 yards. Measured distance: yards In compliance? Yes No

"School grounds" means the property line of the tract on which the school is located.

"College" does not apply to college grounds, stadiums, or recreational areas.

Nearest alcohol treatment center and location -

Minimum distance: 100 yards. Measured distance: yards In compliance? Yes No

Nearest Housing Authority owned and operated by the state, county, or city and location-

Minimum distance: 100 yards. Measured distance: yards In compliance? Yes No

BEER AND/OR WINE - BY THE DRINK FOR CONSUMPTION ON THE PREMISE

School Building, School Grounds, College, or Alcohol Treatment Center

Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest school building, educational building, or alcohol treatment center, and to the nearest portion of the nearest school grounds.

Nearest school building, educational building, school grounds, or college campus and location:-

Minimum distance: 100 yards. Measured distance: yards In compliance? Yes No

"School grounds" means the property line of the tract on which the school is located.

"College" does not apply to college grounds, stadiums, or recreational areas.

Nearest alcohol treatment center owned and operated by the state, county, or city and location:-

Minimum distance: 100 yards. Measured distance: yards In compliance? Yes No

Nearest Housing Authority owned and operated by the state, county, or city and location-

Minimum distance: 100 yards. Measured distance: yards In compliance? Yes No

No distance requirements apply to churches for beer/wine by the drink for consumption on the premises.

EXEMPTIONS: No distance requirements for liquor, beer or wine sold by the drink for consumption on the premises apply to the following:

- Hotels of fifty rooms or more which have been in continuous operation for a period of at least five years preceding July 1, 1981
- Hotels of less than fifty rooms for the retail sale of alcoholic beverages solely to occupants of the hotel and their guests by the drink for consumption only on the premises
- A private social club which is open only to its members and their guests and not to the general public, which does not advertise for or solicit patrons, which has an operating dining room as an integral part of its facilities, which dispenses alcoholic beverages solely to club members or their guests by the drink for consumption only on the premises
- A restaurant that sells alcoholic beverages as a part of the meal or to restaurant patrons waiting for a table to be served a meal in a public place, licensed as a restaurant, and kept, maintained, advertised, and held out to the public as a place where meals are served and where meals are actually and regularly served, such place being provided with adequate and sanitary kitchen and dining room equipment and seating capacity of at least forty people, having employed therein a sufficient number and kind of employees to prepare, cook, and serve suitable food for its guests with the serving of alcoholic beverages to be consumed on the premises as only incidental thereto.
- Colleges within the Historic District or the Victorian District (Savannah River to 37th Street, East Broad Street to MLK Boulevard) when the premises are zoned to allow such use In **Historic/Victorian District?** **NO**
- For businesses classified as banquet, reception halls, or event venues whose dominant business activity and related gross sales are from the rental of facilities and catering of food for banquets, receptions, and events, there shall be no distance requirements for businesses within the Historic District when the premises are zoned to allow such use and such businesses are otherwise determined eligible for a beverage alcohol license for consumption on premises. **ATTACH A DIAGRAM OF THE ESTABLISHMENT'S LOCATION IN RELATION TO THE IDENTIFIED SITES.**
Diagram attached? **NO**