



ALCOHOLIC BEVERAGE LICENSE MEASUREMENT REPORT

Type Application: **NEW** Council Date: 2/27/25 Petition Number:

Name of Applicant: **HARLEY KRINSKY**

Name of Establishment: **BROUGHTON STREET BOWL AND BREW**

Address/Location: **129 EAST BROUGHTON STREET**

Nearest Cross Streets: **DRAAYTON ST/ABERCORN ST**

Type of License: Beer: by the drink package
 Wine: by the drink package
 Liquor: by the drink package

Sunday Sales: Yes No

Date Sign Posted: 2/13/2025

Reviewed by **Michelle Mobley, Deputy Marshal** *MM* Date Reviewed: 2/12/2025

Reviewed by **Jerry Bartley, Chief Deputy Marshal** *JB* Date Reviewed: 2/12/2025

MEASUREMENTS

- This establishment complies with all distance requirements.
- This establishment is NOT in compliance with all distance requirements, as described:

Measured by: **Michelle Mobley, Revenue Deputy Marshal** Done by: Odometer Roller Tape
Date Measured: 2/1/2025

LIQUOR PACKAGE

Church, School Building, Educational Building, School Grounds, College, or Package Store

Measure from the establishment's *primary entrance* to the *primary entrance* of a church, school building, educational building, school grounds, college, or existing package store *along a straight line which is the shortest distance between the two property lines* [O.C.G.A. 3-3-21] (a)(1)(A) [licenses issued after July 1, 2017].

Nearest church and *location*-

Minimum distance: 100 yards. Measured distance: _____ yards In compliance? Yes No

Nearest school building, educational building, school grounds, or college and *location*-

Minimum distance: 200 yards. Measured distance: _____ yards In compliance? Yes No

Nearest package store and *location*-

Minimum distance: 500 yards. Measured distance: _____ yards In compliance? Yes No

Alcohol Treatment Center

Measure from the establishment's *primary entrance* to the *primary entrance* of an alcohol treatment center owned and operated by the state, county, or city by the *most direct route of travel on the ground*.

Nearest alcohol treatment center and *location*-

Minimum distance: 100 yards. Measured distance: _____ yards In compliance? Yes No

BEER/WINE PACKAGE

School Building, Educational Building, School Grounds, or College

Measure from the establishment's *primary entrance* to the *property line* of a school building, educational building, school grounds, or college by the *most direct route of travel on the ground*.

Nearest school building, educational building, school grounds, or college campus and *location*-

Minimum distance: 100 yards. Measured distance: _____ yards In compliance? Yes No

Alcohol Treatment Center

Measure from the establishment's *primary entrance* to the *primary entrance* of an alcohol treatment center owned and operated by the state, county, or city by the *most direct route of travel on the ground*.

Nearest alcohol treatment center and *location*-

Minimum distance: 100 yards. Measured distance: _____ yards In compliance? Yes No

There is no distance minimum to a church for package beer and wine.

LIQUOR - BY THE DRINK FOR CONSUMPTION ON PREMISES

Church, School Building, Educational Building, College, Alcohol Treatment Center, School Grounds

Measure *by the most direct route of travel on the ground* FROM the establishment's *front door in a straight line to the nearest public sidewalk, walkway, street, road, or highway, along such public way by the nearest route TO the front door* of the nearest church building, school building, educational building, college, or alcohol treatment center owned and operated by the state, county, or city, *OR to the nearest portion of the nearest school grounds*, whichever is applicable. Nearest church building and *location*- CHRIST CHURCH PARISH HOUSE 18 ABERCORN ST

Minimum distance: 100 yards. Measured distance: 176 yards In compliance? Yes No

Nearest school building, educational building, school grounds, or college and *location*- SAVANNAH CHATHAM BOARD OF EDUCATION 208 BULL ST

Minimum distance: 200 yards. Measured distance: 528 yards In compliance? Yes No

Nearest school grounds and *location*- VERITAS ACADEMY 207 BULL STREET

Minimum distance: 200 yards. Measured distance: 528 yards In compliance? Yes No

"School grounds" means the property line of the tract on which the school is located.

"College" does not apply to college grounds, stadiums, or recreational areas.

Nearest alcohol treatment center and *location*- GEORGIA REGIONAL HOSPITAL, 1915 EISENHOWER DR. Minimum distance: 100 yards. Measured distance: 14,080 yards In compliance? Yes No

Nearest Housing Authority owned and operated by the state, county, or city and location- HOUSING AUTHORITY OF SAVANNAH 555 W. BAY STREET Minimum distance: 100 yards. Measured distance: 1,408 yards In compliance? Yes No

BEER AND/OR WINE - BY THE DRINK FOR CONSUMPTION ON THE PREMISE

School Building, School Grounds, College, or Alcohol Treatment Center

Measure *by the most direct route of travel on the ground* FROM the establishment's *front door in a straight line to the nearest public sidewalk, walkway, street, road, or highway, along such public way by the nearest route TO the front door* of the nearest school building, educational building, or alcohol treatment center, and to the nearest portion of the nearest school grounds. Nearest school building, educational building, school grounds, or college campus and *location*- VERITAS ACADEMY 207 BULL ST.

Minimum distance: 100 yards. Measured distance: 528 yards In compliance? Yes No

"School grounds" means the property line of the tract on which the school is located.

"College" does not apply to college grounds, stadiums, or recreational areas.

The nearest alcohol treatment center owned and operated by the state, county, or city and *location*- GEORGIA REGIONAL HOSPITAL 1915 EISENHOWER DR

Minimum distance: 100 yards. Measured distance: 14,080 yards In compliance? Yes No

Nearest Housing Authority owned and operated by the state, county, or city and location- HOUSING AUTHORITY OF SAVANNAH 555 W. BAY STREET

Minimum distance: 100 yards. Measured distance: 1,408 yards In compliance? Yes No

No distance requirements apply to churches for beer/wine by the drink for consumption on the premises.

EXEMPTIONS: No distance requirements for liquor, beer, or wine sold by the drink for consumption on the premises apply to the following:

- Hotels of fifty rooms or more which have been in continuous operation for a period of at least five years preceding July 1, 1981
- Hotels of less than fifty rooms for the retail sale of alcoholic beverages solely to occupants of the hotel and their guests by the drink for consumption only on the premises
- A private social club that is open only to its members and their guests and not to the public, which does not advertise for or solicit patrons, which has an operating dining room as an integral part of its facilities, which dispenses alcoholic beverages solely to club members or their guests by the drink for consumption only on the premises.
- A restaurant that sells alcoholic beverages as a part of the meal or to restaurant patrons waiting for a table to be served a meal in a public place, licensed as a restaurant, and kept, maintained, advertised, and held out to the public as a place where meals are served and where meals are actually and regularly served, such place being provided with adequate and sanitary kitchen and dining room equipment and seating capacity of at least forty people, having employed therein a sufficient number and kind of employees to prepare, cook, and serve suitable food for its guests with the serving of alcoholic beverages to be consumed on the premises as only incidental thereto.

5. Colleges within the Historic District or the Victorian District (Savannah River to 37th Street, East Broad Street to MLK Boulevard) where the premises are zoned to allow such use In the Historic/Victorian District? NO

6. For businesses classified as banquet, reception halls, or event venues whose dominant business activity and related gross sales are from the rental of facilities and catering of food for banquets, receptions, and events, there shall be no distance requirements for businesses within the Historic District when the premises are zoned to allow such use and such businesses are otherwise determined eligible for a beverage alcohol license for consumption on premises.

ATTACH A DIAGRAM OF THE ESTABLISHMENT'S LOCATION IN RELATION TO THE IDENTIFIED SITES. Diagram attached? NO