

ALCOHOLIC BEVERAGE LICENSE MEASUREMENT REPORT



Type Application: **NEW** Council Date: 8/14/2025 Petition Number:

Name of Applicant: **Robert Young**

Name of Establishment: **The Darling Oyster Bar**

Address/Location: **27 Montgomery Street**

Nearest Cross Streets: **West Congress Street and West Saint Julian Street**

Type of License: ☒ Beer: ☒ by the drink ☒ by the drink ☒ by the drink
☒ Wine: ☐ package ☐ package ☐ package
☒ Liquor: ☐ package ☐ package ☐ package

Date Sign Posted: **7/24/2025**

Reviewed by **Kristofer Singleton, ABC Investigator** **LS** Date Reviewed: **7-28-25**

Reviewed by **Jerry Bartley, Revenue Manager** **JB** Date Reviewed: **7-30-2025**

MEASUREMENTS

☒ This establishment is in compliance with all distance requirements.
☐ This establishment is NOT in compliance with all distance requirements, as described:

Measured by: **Kristofer Singleton, Revenue Investigator**

Date Measured: **June 27, 2025** Done by: ☒ Odometer ☒ Roller Tape

☐ **LIQUOR - PACKAGE**

Church, School Building, Educational Building, School Grounds, College, or Package Store
Measure from the establishment's primary entrance to the primary entrance of a church, school building, educational building, school grounds, college, or existing package store along a straight line which is the shortest distance between the two property lines [O.C.G.A 3-3-21] (a)(1)(A) [licenses issued after July 1, 2017].
Nearest church and location-

Minimum distance: 100 yards. Measured distance: yards
In compliance? ☐ Yes ☐ No

Nearest school building, educational building, school grounds, or college and location-

Minimum distance: 200 yards. Measured distance: yards
In compliance? ☐ Yes ☐ No

Nearest package store and location -

Minimum distance: 500 yards. Measured distance: yards
In compliance? ☐ Yes ☐ No

Alcohol Treatment Center
Measure from the establishment's primary entrance to the primary entrance of an alcohol treatment center owned and operated by the state, county, or city by the most direct route of travel on the ground.

Nearest alcohol treatment center and location -

Minimum distance: 100 yards. Measured distance: yards
In compliance? ☐ Yes ☐ No

☐ **BEER/WINE - PACKAGE**

School Building, Educational Building, School Grounds, or College
Measure from the establishment's primary entrance to the property line of a: school building, educational building, school grounds, or college by the most direct route of travel on the ground.

Nearest school building, educational building, school grounds, or college campus and location-

Minimum distance: 100 yards. Measured distance: yards
In compliance? ☐ Yes ☐ No

Alcohol Treatment Center
Measure from the establishment's primary entrance to the primary entrance of an alcohol treatment center owned and operated by the state, county or city by the most direct route of travel on the ground.
Nearest alcohol treatment center and location -

Minimum distance: 100 yards. Measured distance: yards
In compliance? ☐ Yes ☐ No

There is no distance minimum to a church for package beer and wine.

☒ **LIQUOR - BY THE DRINK FOR CONSUMPTION ON PREMISES**

Church, School Building, Educational Building, College, Alcohol Treatment Center, School Grounds

Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest church building, school building, educational building, college, or alcohol treatment center owned and operated by the state, county, or city, OR to the nearest portion of the nearest school grounds, whichever is applicable.

First African Baptist Church, 23 Montgomery Street Measured distance: 48.86 yards **EXEMPTION** In compliance? ☒ Yes ☐ No
Minimum distance: 100 yards.

Nearest school building, educational building, school grounds, or college and *location-*

SCAD Herstand Hall, 501-517 Zubly Street Measured distance: 158.6 yards **EXEMPTION** In compliance? ☒ Yes ☐ No
Minimum distance: 200 yards.

"School grounds" means the property line of the tract on which the school is located.

"College" does not apply to college grounds, stadiums, or recreational areas.

Nearest alcohol treatment center and *location -*

Georgia Regional Hospital, 1915 Eisenhower Drive Measured distance: 9926.4 yards In compliance? ☒ Yes ☐ No
Minimum distance: 100 yards.

Nearest Housing Authority owned and operated by the state, county, or city and location-

Yamacraw Village, 555 W Bay Street Measured distance: 209.96 yards In compliance? ☒ Yes ☐ No
Minimum distance: 100 yards.

☒ **BEER AND/OR WINE - BY THE DRINK FOR CONSUMPTION ON THE PREMISE**

School Building, School Grounds, College, or Alcohol Treatment Center

Measure by the most direct route of travel on the ground FROM the establishment's front door in a straight line to the nearest public sidewalk, walkway, street, road or highway, along such public way by the nearest route TO the front door of the nearest school building, educational building, school grounds, or college campus and *location-*

SCAD Herstand Hall, 501-517 Zubly Street Measured distance: 158.6 yards In compliance? ☒ Yes ☐ No
Minimum distance: 100 yards.

"School grounds" means the property line of the tract on which the school is located.

"College" does not apply to college grounds, stadiums, or recreational areas.

Nearest alcohol treatment center owned and operated by the state, county, or city and *location-*

Georgia Regional Hospital, 1915 Eisenhower Drive Measured distance: 9926.4 yards In compliance? ☒ Yes ☐ No
Minimum distance: 100 yards.

Nearest Housing Authority owned and operated by the state, county, or city and location-

Yamacraw Village, 555 W Bay Street Measured distance: 209.96 yards In compliance? ☒ Yes ☐ No
Minimum distance: 100 yards.

EXEMPTIONS: No distance requirements for liquor, beer or wine sold by the drink for consumption on the premises apply to the following:

- Hotels of fifty rooms or more which have been in continuous operation for a period of at least five years preceding July 1, 1981
- Hotels of less than fifty rooms for the retail sale of alcoholic beverages solely to occupants of the hotel and their guests by the drink for consumption only on the premises
- A private social club which is open only to its members and their guests and not to the general public, which does not advertise for or solicit patrons, which has an operating dining room as an integral part of its facilities, which dispenses alcoholic beverages solely to club members or their guests by the drink for consumption only on the premises
- A restaurant that sells alcoholic beverages as a part of the meal or to restaurant patrons waiting for a table to be served a meal in a public place, licensed as a restaurant, and kept, maintained, advertised, and held out to the public as a place where meals are served and where meals are actually and regularly served, such place being provided with adequate and sanitary kitchen and dining room equipment and seating capacity of at least forty people, having employed therein a sufficient number and kind of employees to prepare, cook, and serve suitable food for its guests with the serving of alcoholic beverages to be consumed on the premises as only incidental thereto.
- Colleges within the Historic District or the Victorian District (Savannah River to 37th Street, East Broad Street to MLK Boulevard) when the premises are zoned to allow such use in Historic/Victorian District? **YES**
- For businesses classified as banquet, reception halls, or event venues whose dominant business activity and related gross sales are from the rental of facilities and catering of food for banquets, receptions, and events, there shall be no distance requirements for businesses within the Historic District when the premises are zoned to allow such use and such businesses are otherwise determined eligible for a beverage alcohol license for consumption on premises.

ATTACH A DIAGRAM OF THE ESTABLISHMENT'S LOCATION IN RELATION TO THE IDENTIFIED SITES.
Diagram attached? **NO**